

U.P. Asbestos Ltd.

WORKS: Village & PO-BISHARA, TEHSIL DADRI DISTT. GAUTAMBUDHNAGAR-201008 (U.P.)
CIN:L26942UP1973PLC003743,GSTIN-09AAACU1994L1ZS

Our ref.: UPAL,DADRI/Qtly.EMRs/2026-27
30th April 2026

Chief Environment Officer
U.P. Pollution Control Board
H.No.TC-12V, Vibhuti Khand
Gomti Nagar, Lucknow 226 010

Subject: Submission of quarterly environmental monitoring reports.

Dear Sir

As required, quarterly environmental monitoring reports of our Dadri plant are being submitted herewith. These reports are based on the monitoring carried out in the month of March 2026.

Thanking you

Yours faithfully

U.P. ASBESTOS LTD., DADRI UNIT

Sunil Mehta
Authorised signatory

Encls.: As stated above.

Copy to:

1. Deputy Director General
Ministry of Environment, Forest & Climate Change (MoEF&CC)
Regional Office, Central Region
Kendriya Bhawan, 11th Floor
Sector-H, Aliganj
Lucknow 226 024
2. Regional Officer
U.P. Pollution Control Board
Greater Noida



U.P. Asbestos Ltd.

WORKS: Village & PO-BISHARA, TEHSIL DADRI DISTT. GAUTAMBUDHNAGAR-201008 (U.P.)
CIN:L26942UP1973PLC003743,GSTIN-09AAACU1994L1ZS

Our ref.: UPAL,DADRI/Qtly.EMRs/2026-27
30th April 2026

Chief Environment Officer (Circle-1)
U.P. Pollution Control Board
H.No.TC-12V, Vibhuti Khand
Gomti Nagar, Lucknow 226 010

Subject: Submission of quarterly environmental monitoring reports.

Dear Sir

As required, quarterly environmental monitoring reports of our Dadri plant are being submitted herewith. These reports are based on the monitoring carried out in the month of March 2026.

Thanking you

Yours faithfully
U.P. ASBESTOS LTD., DADRI UNIT

Sunil Mehta
Authorised signatory

Encls.: As stated above.

Copy to:

1. Deputy Director General
Ministry of Environment, Forest & Climate Change (MoEF&CC)
Regional Office, Central Region
Kendriya Bhawan, 11th Floor
Sector-H, Aliganj
Lucknow 226 024
2. Regional Officer
U.P. Pollution Control Board
Greater Noida

डाक प्राप्ति स्थिति
प्रति विभाग 7/1/2026
माहिकर्ता के हस्ताक्षर
उपरोक्त प्रमाण नियंत्रण बोर्ड, लखनऊ





TEST REPORT

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited.	ULR No.	TC167912600005215F
	Village & Post: Bishara	Test Report No.	ECO/LAB/AA/0446/5215/03/2026
	Tehsil: Dadri Distt: Gautam budh Nagar (U.P)	Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Air Sample		
Sample Registration No.	0446	Name of Location	Near Main Gate
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.00 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	24 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5215/03/2026
	Humidity: 50%		

S. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Particulate Matter (PM ₁₀) µg/m ³	IS:5182 (Part-23):2006 RA, 2022	75.12	100
2.	Particulate Matter (PM _{2.5}) µg/m ³	IS:5182 (Part-24) RA, 2022	36.00	60
3.	Sulphur Di-Oxide (SO ₂) µg/m ³	IS:5182 (Part-2):2001	19.66	80
4.	Nitrogen Di-Oxide (NO ₂) µg/m ³	IS:5182 (Part-6):2006 RA, 2022	29.52	80
5.	Ammonia (NH ₃) µg/m ³	IS 5182 (Part-25) RA, 2018	11.20	400
6.	Ozone(O ₃) µg/m ³	IS 5182 (Part-9):2019	13.18	180
7.	Lead(Pb) µg/m ³	IS 5182 (Part-22):2004. RA, 2022	BDL (<0.1)	1.0
8.	Arsenic (As) ng/m ³	SOP No.26 Issue No. 01 June 2022	BDL (<1.0)	06
9.	Nickel(Ni) ng/m ³	IS 5182 (Part-26): 2020	BDL (<4.0)	20
10.	Carbon mono-oxides as CO (mg/m ³)	IS:5182 (Part-10):1999 RA, 2019	1.28	04

Statement of Conformity: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.


----End of Report----

Verified by

(Signature)
Technical Manager
(Vikas Kumar)

Authorized By

(Signature)
Quality Manager
(Dr. Abhishek Kumar Singh)



TEST REPORT

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & P.O.-Bishara, Tehsil Dadri, Distt. Gautam Budh Nagar (U.P.)	Test Report No.	ECO/LAB/WA/0446/5221/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Work Area Sample		
Sample Registration No.	0446	Name of Location	-
Sampling Method	IS:5182	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	11.25 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	8 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5221/03/2026
	Humidity: 50 %		


S. No.	Location	Dust Pollutant Concentration (mg/m ³)
1.	Nr. BOD / Scrubber Mill Section	4.28

Note:


1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.


—End of Report—

Verified By


Technical Manager
(Vikas Kumar)

Authorized By


Quality Manager
(Dr. Abhishek Kumar Singh)





TEST REPORT

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited.	ULR No.	TC167912600005216F
	Village & Post: Bishara	Test Report No.	ECO/LAB/AA/0446/5216/03/2026
	Tehsil: Dadri Distt: Gautam budh Nagar (U.P)	Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Air Sample		
Sample Registration No.	0446	Name of Location	Near Loading Area
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.30 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	24 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5216/03/2026
	Humidity: 50%		

S. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Particulate Matter (PM ₁₀) µg/m ³	IS:5182 (Part-23):2006 RA, 2022	63.92	100
2.	Particulate Matter (PM _{2.5}) µg/m ³	IS:5182 (Part-24) RA, 2022	28.50	60
3.	Sulphur Di-Oxide (SO ₂) µg/m ³	IS:5182 (Part-2):2001	15.25	80
4.	Nitrogen Di-Oxide (NO ₂) µg/m ³	IS:5182 (Part-6):2006 RA, 2022	24.36	80
5.	Ammonia (NH ₃)µg/m ³	IS 5182 (Part-25) RA, 2018	8.10	400
6.	Ozone(O ₃) µg/m ³	IS 5182 (Part-9):2019	11.44	180
7.	Lead(Pb) µg/m ³	IS 5182 (Part-22):2004. RA, 2022	BDL (<0.1)	1.0
8.	Arsenic (As) ng/m ³	SOP No.26 Issue No. 01 June 2022	BDL (<1.0)	06
9.	Nickel(Ni) ng/m ³	IS 5182 (Part-26): 2020	BDL (<4.0)	20
10.	Carbon mono-oxides as CO (mg/m ³)	IS:5182 (Part-10):1999 RA, 2019	0.76	04

Statement of Conformity: The above tested parameters confirm as per NAAQS limits.

Note:

- 1.0 Test results relate to the items sampled & tested.
- 2.0 Test report shall not be reproduced except in full without approval of the laboratory.
- 3.0 The test samples will be disposed of after Fifteen days from the date of issue of test report.

----End of Report----

Verified By

(Signature)
Technical Manager
(Vikas Kumar)

Authorized By

(Signature)
Quality Manager
(Dr. Abhishek Kumar Singh)
EcoMen Mining Private Limited
Mirzapur
Bakshi Ka Talab
Lucknow, U.P.
226021
★

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautami budh Nagar (U.P)	Test Report No.	ECO/LAB/AA/0446/5216/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Air Sample		
Sample Registration No.	0446	Name of Location	Near Loading Area
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.30 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	24 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5216/03/2026
	Humidity: 50%		

Sl. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Benzene as C ₆ H ₆ (µg/m ³)	IS:5182 (Part-11):2006 RA, 2022	BDL (<1.0)	05
2.	Benzo (α) Pyrene as BaP (ng/m ³)	IS:5182 (Part-12):2004 RA, 2019	BDL (<0.5)	01


Statement of Conformity: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

Note:


1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified by


Technical Manager
(Vikas Kumar)

Authorized By


Quality Manager
(Dr. Abhishek Kumar Singh)
Mirzapur
Bakshi Ka Talab
Lucknow, U.P.
226021
★



TEST REPORT

FORMAT NO. ECO/QS/FORMAT/13

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited.	ULR No.	TC167912600005218F
	Village & Post: Bishara	Test Report No.	ECO/LAB/AN/0446/5218/03/2026
	Tehsil: Dadri Distt: Gautambudh Nagar (U.P)	Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Noise		
Sample Registration No.	0446	Name of Location	-
Sampling Method	IS: 9989	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	10.55 AM
Date of Sample Received	16.03.2026	Time of Sample Received	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	Hourly
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5218/03/2026
	Humidity: 50 %		

S. No.	Location	Leq Value in dB(A)	
		Day	Night
1.	Near Main Gate	73.60	52.80

Statement of Conformity: Noise Level is meeting requirements as per CPCB Guidelines.

Noise (Ambient Standard)

Area Code	Category of area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note:

- Day time is reckoned in between 6:00 AM and 10:00 PM.
- Night time is reckoned in between 10:00 PM and 6:00 AM
- Silence zone is defined as area up to 100m around such premises as hospitals, educational institutions & courts. The silence zones are to be declared by a competent authority.
- Mixed categories of areas should be declared as one of the four above-mentioned categories by the competent authority and the corresponding standard shall apply.

----End of Report----

Verified By

[Signature]
Technical Manager
(Vikas Kumar)

Authorized By

[Signature]
Quality Manager
(Dr. Abhishek Kumar Singh)
Gata No. 61
Mirzapur
Bakshi Ka Talab
Lucknow, U.P.
226021
★

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & P.O.-Bishara, Tehsil Dadri, Distt. Gautam Budh Nagar (U.P.)	Test Report No.	ECO/LAB/WA/0446/5220/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Work Area		
Sample Registration No.	0446	Name of Location	-
Sampling Method	IS:11450	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	11.00 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	4.0 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5220/03/2026
	Humidity: 50 %		


S. No	Locations	Fiber Count (Fibers/cc)	Maximum allowable Limit (Fibers/cc)
1.	Near Scrubber/BOD	0.075	0.1

Note:


1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified By


 Technical Manager
 (Vikas Kumar)

Authorized By


 Quality Manager
 (Dr. Anishek Kumar Singh)




TEST REPORT

FORMAT NO. ECO/QS/FORMAT/13


NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & P.O.-Bishara, Tehsil Dadri, Distt. Gautam Budh Nagar (U.P.)	ULR No.	TC167912600005219F
		Test Report No.	ECO/LAB/WN/0446/5219/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Work Area Noise		
Sample Registration No.	0446	Name of Location	DG Set
Sampling Method	IS: 4758	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	-
Date of Sample Received	16.03.2026	Time of Sample Received	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	-
Weather Condition	Sunny	Sampling Duration	Hourly
Environmental Condition	Temperature: 27± °C	Sample ID Code	ECO/LAB/5219/03/2026
	Humidity: 50 %		


Sl. No.	Location	Capacity of DG Set	Time	Noise (Leq) value in dB (A)	Noise Standard dB (A)
1.	D.G. Running condition with Closed Acoustic enclosure	D. G. Set -750KVA	11.10 A.M.	66.10	75
2.	D.G. Running condition with Open Acoustic enclosure	D. G. Set -750 KVA	12.30 P.M.	73.00	

Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified By

 Technical Manager
 (Vikas Kumar)

Authorized By

 Quality Manager
 (Dr. Anish Kumar Singh)



TEST REPORT

NAME & ADDRESS OF CUSTOMER		U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautambudh Nagar (U.P)	ULR No.	FORMAT NO. ECO/QS/FORMAT/12
Type of Sample		Stack Emission	Test Report No.	TC16791260005217F
Sample Registration No.		0446	Issue Date of Test Report	ECO/LAB/AS/0446/5217/03/2026
Sampling Method		ECO/LAB/SOP/AIR/00	Name of Location	01.04.2026
Date of Sample Collection		13.03.2026 to 14.03.2026	Sample Collected By	DG Set-750 KVA
Date of Sample Received		16.03.2026	Time of Sample Collection	EMPL Representative
Start Date of Analysis		16.03.2026	Time of Sample Received	10.30 AM
Weather Condition		Sunny	End Date of Analysis	10.55 AM
Environmental Condition		Temperature: 27 ± 2 °C Humidity: 50 %	Sampling Duration	31.03.2026
			Sample ID Code	41.0 min
				ECO/LAB/5217/03/2026

Stack Details			
I) Above the Ground Level(m)	13.0	Ambient Temperature (°C)	28.00
II) Above the Platform(m)	6.0		
Material of Stack	MS	Stack Temperature (°C)	263.00
Stack Attached	DG Set 750 KVA	Inside Diameter of Stack at sampling port (m)	0.20
Capacity of DG Set	750 KVA	Cross Sectional Area of Stack (M ²)	0.0314
Shape of Stack	Circular	Velocity of Flue Gas (m/sec.)	14.86
Type of Fuel Used	HSD	Flow Rate of Flue Gas (Nm ³ /sec.)	0.402
Fuel Consumption (L/hr.)	80.0	Pollution Control Unit	-

Sl. No.	Tests Conducted	Method	Unit	Pollutant Concentration	Standards as per CPCB gm/Kw-hr
1.	Particulate Matter (PM)	IS:11255 (Part-1)	gm/Kw-hr	0.159	≤0.2
2.	Sulphur Dioxide (SO ₂)	IS:11255 (Part-2)	gm /Kw-Hr	0.046	-
3.	Nitrogen Oxides (NO _x)	IS:11255 (Part-7)	gm/Kw-hr	1.52	≤4.0
4.	Carbon Monoxide (CO)	IS 13270: 2009	gm/Kw-hr	1.18	≤3.5


Statement of Conformity: The above tested parameters confirm as per CPCB limits.

Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

----End of Report----

Verified By


Technical Manager
(Vikas Kumar)

Authorized By


Quality Manager
(Dr. Abhishek Kumar Singh)
Mirzapur
Bakshi Ka Taleb
Lucknow, U.P.
226021



TEST REPORT

FORMAT NO. ECO/QS/FORMAT/12

NAME & ADDRESS OF CUSTOMER	U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautambudh Nagar (U.P)	Test Report No.	ECO/LAB/AS/0446/5217/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Stack Emission		
Sample Registration No.	0446	Name of Location	DG Set-750 KVA
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.30 AM
Date of Sample Received	16.03.2026	Time of Sample Received	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	41.0 min
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5217/03/2026
	Humidity: 50 %		

Stack Details			
I) Above the Ground Level(m)	13.0	Ambient Temperature (°C)	28.00
II) Above the Platform(m)	6.0		
Material of Stack	MS	Stack Temperature (°C)	263.00
Stack Attached	DG Set 750 KVA	Inside Diameter of Stack at sampling port (m)	0.20
Capacity of DG Set	750 KVA	Cross Sectional Area of Stack (M ²)	0.0314
Shape of Stack	Circular	Velocity of Flue Gas (m/sec.)	14.86
Type of Fuel Used	HSD	Flow Rate of Flue Gas (Nm ³ /sec.)	0.402
Fuel Consumption (L/hr.)	80.0	Pollution Control Unit	-

Sl. No.	Tests Conducted	Method	Unit	Pollutant Concentration	Standards as per CPCB gm/Kw-hr
1.	Hydrocarbon (HC)	IS 13270: 2009	gm/Kw-hr	1.25	≤4.0


Statement of Conformity: The above tested parameters confirm as per CPCB limits.

Note:


1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

----End of Report----

Verified By


Technical Manager
(Vikas Kumar)

Authorized By


Quality Manager
Gata No. 61,
Bakshi Ka Talab,
Lucknow, U.P.
226021

TEST REPORT

NAME & ADDRESS OF CUSTOMER:		U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautam budh Nagar (U.P)		Test Report No.	ECO/LAB/AA/0446/5215/03/2026
Type of Sample		Ambient Air Sample		Issue Date of Test Report	01.04.2026
Sample Registration No.	0446	Name of Location	Near Main Gate		
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative		
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.00 AM		
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM		
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026		
Weather Condition	Sunny	Sampling Duration	24 Hrs.		
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5215/03/2026		
	Humidity: 50%				

Sl. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Benzene as C ₆ H ₆ (µg/m ³)	IS:5182 (Part-11):2006 RA, 2022	BDL (<1.0)	05
2.	Benzo (α) Pyrene as BaP (ng/m ³)	IS:5182 (Part-12):2004 RA, 2019	BDL (<0.5)	01

Statement of Conformity: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified by

Vikas Kumar
Technical Manager
(Vikas Kumar)

Authorized By

Dr. Abhishek Kumar Singh
Quality Manager
(Dr. Abhishek Kumar Singh)
Gata No. 61, Mirzapur,
Bakshi Ka Talab,
Lucknow, U.P.
226021