



sunil mehta <upal.sunil@gmail.com>

---

**Submission of six monthly compliance status report of Dadri unit for the period from October 2025 to March 2026**

1 message

---

sunil mehta <upal.sunil@gmail.com>

Fri, May 22, 2026 at 1:10 PM

To: rogreaternoida@uppcb.in

Dear Sir

As required , six monthly compliance status report of Dadri unit for the period from 1st October 2025 to 31st March 2026 is being submitted herewith by way of attachment to this email.

Thanking you

Sunil Mehta  
Authorised signatory  
U.P. Asbestos Ltd., Dadri unit  
Contact: 86018 74497

---

 **Six monthly compliance suatus report of Dadri unit for Oct.25 to Mar.26.pdf**  
2070K

# U.P. Asbestos Ltd.

WORKS: Village & PO-BISHARA, TEHSIL DADRI DISTT. GAUTAMBUDHNAGAR-201008 (U.P.)  
CIN:L26942UP1973PLC003743,GSTIN-09AAACU1994L1ZS

Our ref.: UPAL,DADRI/MoEF&CC/2026-27  
20<sup>th</sup> May 2026

The Deputy Director General  
Ministry of Environment, Forest & Climate Change (MoEF&CC)  
Regional Integrated Office ( Central Zone)  
Kendriya Bhawan, 11<sup>th</sup> Floor  
Sector – H, Aliganj  
LUCKNOW – 226 024 (UP)

Subject: Submission of six monthly compliance status report for the period from 1<sup>st</sup> October 2025 to 31<sup>st</sup> March 2026.

Your ref.: Environmental Clearance File No.J-11011/42/99-IA.II dated 20<sup>th</sup> December 1999  
Transferred in our name vide letter dated July 21, 2005.

Dear Sir

As required six monthly compliance status report of Dadri unit for the period from 1<sup>st</sup> Oct. 2025 to 31<sup>st</sup> March 2026 is being submitted herewith.

Thanking you

Yours faithfully  
FOR U.P. ASBESTOS LTD., DADRI UNIT

Sunil Mehta  
Authorised Signatory

Encls.: Six monthly compliance status report along with relevant annexures.

Copy to : 1. The Chief Environment Officer (Circle-1)  
U.P. Pollution Control Board (UPPCB)  
H.No. TC-12V, Vibhuti Khand  
Gomti Nagar, Lucknow 226 010

2. The Regional Officer  
U.P. Pollution Control Board  
Greater Noida



Regd. Office: Mahmoodabad Estate Building Hazratganj, Lucknow-226001(U.P)



sunil mehta <upal.sunil@gmail.com>

---

**Submission of six monthly compliance status report of Dadri unit for the perion from October 2025 to March 2026**

1 message

---

sunil mehta <upal.sunil@gmail.com>

To: "DDGF(C) MoEF&CC RO Lucknow" <rocz.lko-mef@nic.in>

Fri, May 22, 2026 at 12:01 PM

Cc: preeti.tripathi@gov.in


Respected Sir

As required, six monthly compliance status report of Dadri unit for the period from 1st October 2025 to 31st March 2026 is being submitted herewith by way of attachment to this email.

Thanking you

Sunil Mehta  
Authorised signatory  
U.P. Asbestos Ltd., Dadri unit  
Contact: 86018 74497

---

 **Six nonthly compliance(October 2025 to March 2026).pdf**  
2001K

# U.P. Asbestos Ltd.

WORKS: Village & PO-BISHARA, TEHSIL DADRI DISTT. GAUTAMBUDHNAGAR-201008 (U.P.)  
CIN:L26942UP1973PLC003743,GSTIN-09AAACU1994L1ZS

Our ref.: UPAL,DADRI/MoEF&CC/2026-27  
20<sup>th</sup> May 2026

The Deputy Director General  
Ministry of Environment, Forest & Climate Change (MoEF&CC)  
Regional Integrated Office ( Central Zone)  
Kendriya Bhawan, 11<sup>th</sup> Floor  
Sector – H, Aliganj  
LUCKNOW – 226 024 (UP)

Subject: Submission of six monthly compliance status report for the period from 1<sup>st</sup> October 2025 to 31<sup>st</sup> March 2026.

Your ref.: Environmental Clearance File No.J-11011/42/99-IA.II dated 20<sup>th</sup> December 1999  
Transferred in our name vide letter dated July 21, 2005.

Dear Sir

As required six monthly compliance status report of Dadri unit for the period from 1<sup>st</sup> Oct. 2025 to 31<sup>st</sup> March 2026 is being submitted herewith.

Thanking you

Yours faithfully  
FOR U.P. ASBESTOS LTD., DADRI UNIT

Sunil Mehta  
Authorised Signatory

Encls.: Six monthly compliance status report along with relevant annexures.

Copy to : 1. The Chief Environment Officer (Circle-1)  
U.P. Pollution Control Board (UPPCB)  
H.No. TC-12V, Vibhuti Khand  
Gomti Nagar, Lucknow 226 010

2. The Regional Officer  
U.P. Pollution Control Board  
Greater Noida



Regd. Office: Mahmoodabad Estate Building Hazratganj, Lucknow-226001(U.P)

# U.P. Asbestos Ltd.

WORKS: Village & PO-BISHARA, TEHSIL DADRI DISTT. GAUTAMBUDHNAGAR-201008 (U.P.)  
CIN:L26942UP1973PLC003743,GSTIN-09AAACU1994L1ZS

Our ref.: UPAL,DADRI/MoEF&CC/2026-27  
20<sup>th</sup> May 2026

The Deputy Director General  
Ministry of Environment, Forest & Climate Change (MoEF&CC)  
Regional Integrated Office ( Central Zone)  
Kendriya Bhawan, 11<sup>th</sup> Floor  
Sector – H, Aliganj  
LUCKNOW – 226 024 (UP)

Subject: Submission of six monthly compliance status report for the period from 1<sup>st</sup> October 2025 to 31<sup>st</sup> March 2026.

Your ref.: Environmental Clearance File No.J-11011/42/99-IA.II dated 20<sup>th</sup> December 1999  
Transferred in our name vide letter dated July 21, 2005.

Dear Sir,

As required six monthly compliance status report of Dadri unit for the period from 1<sup>st</sup> Oct. 2025 to 31<sup>st</sup> March 2026 is being submitted herewith.

Thanking you

Yours faithfully  
FOR U.P. ASBESTOS LTD, DADRI UNIT

Sunil Mehta  
Authorised Signatory

Encls.: Six monthly compliance status report along with relevant annexures.

Copy to : 1. The Chief Environment Officer (Circle-1)  
U.P. Pollution Control Board (UPPCB)  
H.No. TC-12V, Vibhuti Khand  
Gomti Nagar, Lucknow 226 010

2. The Regional Officer  
U.P. Pollution Control Board  
Greater Noida

डाक प्राप्ति मूह  
प्राप्ति दिनांक: 10/05/26  
प्राप्तकर्ता के हस्ताक्षर  
उपरोक्त प्रदूषण नियंत्रण बोर्ड, लखनऊ



Name & Address : U.P.Asbestos Limited, Village & P.O. Bishara-201008  
Tehsil-Dadri, Distt. – Gautam Budh Nagar Via (Ghaziabad) U.P.

Environmental clearance : F. No.J-11011/42/99-IA.II dated 20<sup>th</sup> December, 1999 transferred in our  
name vide letter dated July 21, 2005.

Compliance period : 1<sup>st</sup> October 2025 to 31<sup>st</sup> March 2026

Dear Sir

In compliance to general condition No. viii of the captioned Environment Clearance, we submit herewith  
six monthly compliance status report of the above project for the period from 1<sup>st</sup> October 2025 to 31<sup>st</sup>  
March 2026.

**SPECIFIC CONDITIONS :-**

S.No.	Conditions	Compliance status
1.	The project proponent shall adhere to the prescribed BIS standards and laws regarding use and handling of asbestos safety of employees' etc.	UPAL is presently adhering to and in future adhere to the prescribed BIS standards and laws regarding the use and handling of asbestos, safety of the employees etc., as per the instructions & guidelines listed in BIS standards IS 11451-1986, IS 11767-1986, IS 770 (Part 1) 1987, IS 12078-1987 etc.. List of applicable BIS standards has already been submitted. The raw materials are being transported in closed containers. Asbestos is brought in impermeable bags under compressed condition.
2.	Blue asbestos should not be utilized as raw material in the manufacturing process and written commitment in this regard should be furnished within a period of one month.	Our commitment that only Chrysotile Fibre (White Fibre) would be used as raw material in the manufacturing process had already been submitted within the stipulated period.
3.	There will be no manual handling/opening of asbestos fiber. The company should provide automatic bag openers at the mixing stage before commissioning the unit.	There is no manual handling/opening of asbestos fibre. UPAL has installed fully automatic de-bagging machine with bag shredder and is in operation all the time. It has a capacity to handle sixty bags per hour. It consists of fabricated steel frame, belt conveyor with drive arrangement, slitting cutter with drive arrangement, outlet chute for fibre feeding into the fibre mill. After the bag gets opened, the empty bag automatically slides into the chute of bag shredder through closed system. Bag shredder is a heavy duty grinder and is connected to the second outlet chute of the bag opening device wherein the empty fibre

		bag is received, shredded into small pieces and fed into the fibre mill for use in the process along with the milled asbestos fibre.
4.	Adequate measures should be adopted to control the emissions and ensure that the discharge of asbestos fiber does not exceed the limit of 2 fiber/cc. The bag filters should be interlocked with the manufacturing process. In the event of failure of any pollution control system the unit should be put out of operation immediately and should not be restarted until the control system is rectified to achieve the desired efficiency. Continuous measurement of its pollutants in the work zone area should be undertaken and report submitted to the SPCB once in three months and to this Ministry every six months.	All necessary measures have been adopted to control the emissions. The monitoring is being done regularly by NABL & MoEF approved lab. at regular intervals to ensure whether the fibre is within the prescribed limit. The bag filters are interlocked with the manufacturing process. Measurement of its pollutants in the work zone area is being undertaken and the reports are being submitted every quarter to UPPCB & MoEF. It has been ensured that in the event of failure of any of the pollution control devices, the manufacturing process is put to halt till the fault is rectified. Last monitoring report was submitted vide our letter UPAL, DADRI/Qtly.EMRs/2026-27 dated 30 <sup>th</sup> April 2026 (Annexure 1).
5.	To avoid fugitive emissions asbestos fiber bags should be transported to the works by containers mode. Bags containing asbestos fiber should also be stored in enclosed area.	Asbestos bags are received in containers and are being stored in closed areas to avoid fugitive emissions.
6.	As reflected in the EMP there will be no discharge of process effluent. The entire process effluent should be reused/recycled in the manufacturing process. The domestic waste should be adequately treated in a sewage treatment plant and used for green belt development.	The plant is being operated on zero discharge principal. We do not discharge any process effluent outside the premises. In fact the entire quantity of process effluent generated is being reused for preparation of raw material slurry. Domestic effluent is treated in STP and the treated effluent is being used in green belt development.
7.	The company will ensure that the entire solid waste generated including process rejects, dust from bag filters and empty asbestos bag will be reused in manufacturing process. Bag shredding device should be installed before commissioning the proposed unit.	The entire quantity of solid waste generated including the process rejects is being reused after converting it into powder form with the aid of pulverizer. Dust from bag filters of cement & fly ash silos, pulverizer & carbo cutter is reused in the process by mixing the entire quantity with raw materials in pre beater tank in small batches. Bag shredder is attached to the BOD. Shredded pieces of fibre bags are mixed with the fibre in fibre mill. Only non-usable material is being given to designated disposal facility but that too in small quantities.
8.	Regular medical check up and health monitoring of the employees should be carried	Regular medical check up and health monitoring of the employees is being carried

<p>out and record maintained. The occupational health monitoring must be strengthened to include periodic (6 months) sputum test along with pulmonary test supplemented by X-ray test annually. The company should also provide medical and health care facilities at the work place and if cases of asbestos is detected necessary compensation should be arranged under the existing laws.</p>	<p>out and the records those off are being maintained. Sputum &amp; PFT tests are being carried out at six monthly intervals where as X-Ray tests are conducted annually. A qualified doctor has been appointed to handle normal health issues on day to day basis. A vehicle is provided round the clock to handle any emergency. Till date no case of asbestosis has been detected. In any eventuality the company would follow the existing laws. Last time the medical examination of the workers &amp; staff was carried out in the month of November 2025. The summary of medical reports was submitted to UPPCB vide our letter No.:UPAI,DADRI/MS/2025-26 dated 1<sup>st</sup> December 2025 (Annexure 2).</p>
--	---

**GENERAL CONDITIONS:**

S.No.	Conditions	Compliance status
1.	The project authorities must strictly adhere to the stipulations made by the Uttar Pradesh Pollution Control Board and the State Government	We strictly adhere to the stipulations made by the UPPCB & the State Government.
2.	No further expansion/modifications in the plant should be carried out without prior approval of the Ministry of Environment and Forests.	We confirm that expansion/modifications in the plant would only be carried out after obtaining prior approval of the Ministry of Environment, Forest & Climate Change (MoEF&CC).
3.	The project proponent should comply strictly with the Hazardous Waste (Management and Handling) Rules of the Environment (Protection) Act, 1986 as asbestos wastes fall under category 14 of the Rules.	We have been granted authorization under Hazardous Waste(Management & Handling) Rules of the Environment (Protection) Act. 1986. The same was amended vide ref.no.19296/UPPCB/Greater Noida/(UPPCBRO)/HWM/Greater Noida/2023 dated 27/01/2023 (Annexure 3).
4.	Green belt of adequate width and density should be provided to mitigate the effects of fugitive emission all around the plant. A minimum of 25% of the total land acquired should be developed as green belt in consultation with the local DFO.	We have been maintaining green belt as specified. When the plant was handed over to us in 2005 by M/S Triage Industries Pvt. Ltd., mostly Eucalyptus trees were planted by them. Of late disease and pests caused everything from leaf drop to Eucalyptus trees splitting & dying. To strengthen the green belt we have recently planted 1550 plants of different species apart from already existing 500 tree. Gradually the

		<p>green belt is being strengthened with adequate density. In this regard we have sought the help of DFO, Greater Noida also. Also we got planted 5,000 plants of different species through DFO, Gautam Budh Nagar adjacent to our unit on Gram Sabha land. For that till now payment of Rs.15,55,000.00 have been made to Forest department as per the details mentioned in their letter No.6050/35-5 dated 9-4-2024. Copy of the said letter is enclosed herewith as Annexure 4. Another 20500 saplings of native species were planted by Miyawaki technique with a cost of Rs.22,61,200/-at nearby land at Village-Niroli in the year 2023-24. This job was executed by Avyukt Greens Nursery on our behalf.</p>
5.	<p>The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report.</p>	<p>We are complying with all the environment protection measures and safe guards recommended in the EIA/EMP report. The house keeping is being done with utmost care. Shop floor is being cleaned by vacuum cleaner and wet mopping. The water is being sprinkled all around at frequent intervals to suppress the dust. Raw materials such as cement &amp; fly ash are being procured in closed containers. Instead of storing them in godowns there are stored in silos. Fibre is being handled through BOD. The empty fibre bags are being shredded and used in process</p>
6.	<p>The project authorities will set up separate environmental management cell for effective implementation of all the above stipulations under control of Sr. Executive.</p>	<p>We have a separate environment management cell headed by General Manager for effective implementation of the above stipulations.</p>
7.	<p>The project authorities will provide adequate funds both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment and Forest as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purpose.</p>	<p>We have sufficient funds to implement the conditions stipulations by MoEF&amp;CC and also state pollution control board. The funds are being utilized wherever &amp; whenever required..</p>
8.	<p>The Regional Office of this Ministry at Lucknow/Central Pollution Control Board/State Pollution Control Board will monitor the stipulated conditions. A six monthly compliance status report and the monitored data along with statistical</p>	<p>Six monthly compliance status reports &amp; the monitoring data are being submitted to regional office of the Ministry &amp; State Pollution Control Board regularly. Last six monthly compliance status report was submitted vide our letter ref. no.UPAL,</p>

interpretation should be submitted to them regularly.	DADRI/MoEF&CC/2025-26 dated 20 <sup>th</sup> Nov. 2025.
---	---

Conditions added vide transfer letter July 21, 2005

S.No.	Conditions	Compliance status
1.	The company shall comply with all the conditions stipulated in environmental clearance No.J.11011/42/99-IA.II dated 20.12.1999.	All the conditions stipulated in EC No.J-11011/42/99-IA.II dated 20.12.1999 are complied with
2.	The company shall follow close circuit fly ash operations with effective dust extraction systems.	The fly ash is being received in closed bulkers which is directly stored in Silo . Bag filters are connected to silo to control dust emission.
3.	Measures shall be taken for rainwater harvesting from the roof tops and storm water drains to recharge the ground water	Water from the roof top & the storm water drains is recharged through recharging pit.
4.	Green belt shall be raised in 33% of plant area.	Gradually green belt area would be raised to 33% of plant area as had committed by us.

Thanking you

Yours faithfully  
For U.P. Asbestos Ltd., Dadri

Sunil Mehta  
Authorized signatory

CC to: 1. The Chief Environment Officer (Circle-1)  
U.P. Pollution Control Board  
House No. TC 12-V, Vibhuti Khand  
Gomti Nagar, Lucknow-226 010

2. The Regional Officer  
U.P. Pollution Control Board  
Greater Noida



sunil mehta <upal.sunil@gmail.com>

---

## Submission of quarterly environmental monitoring report

1 message

---

sunil mehta <upal.sunil@gmail.com>

Thu, Apr 30, 2026 at 4:37 PM

To: "DDGF(C) MoEF&CC RO Lucknow" <rocz.lko-mef@nic.in>

Cc: preeti.tripathi@gov.in

Respected Sir

As required, quarterly environmental monitoring reports of our Dadri unit are being submitted herewith by way of attachment to this email. These reports are based on the monitoring carried out in March 2026.

Thanking you

Sunil Mehta

Authorised signatory

U.P. Asbestos Ltd., Dadri unit

Contact: 86018 74497

---

 Deputy Director General MoEF&CC.pdf  
680K

# U.P. Asbestos Ltd.

WORKS: Village & PO-BISHARA, TEHSIL DADRI DISTT. GAUTAMBUDHNAGAR-201008 (U.P.)  
CIN:L26942UP1973PLC003743,GSTIN-09AAACU1994L1ZS

Our ref.: UPAL,DADRI/Qtly.EMRs/2026-27  
30<sup>th</sup> April 2026

Chief Environment Officer  
U.P. Pollution Control Board  
H.No.TC-12V, Vibhuti Khand  
Gomti Nagar, Lucknow 226 010

Subject: Submission of quarterly environmental monitoring reports.

Dear Sir

As required, quarterly environmental monitoring reports of our Dadri plant are being submitted herewith. These reports are based on the monitoring carried out in the month of March 2026.

Thanking you

Yours faithfully

U.P. ASBESTOS LTD., DADRI UNIT

Sunil Mehta  
Authorised signatory

Encls.: As stated above.

Copy to:

1. Deputy Director General  
Ministry of Environment, Forest & Climate Change (MoEF&CC)  
Regional Office, Central Region  
Kendriya Bhawan, 11<sup>th</sup> Floor  
Sector-H, Aliganj  
Lucknow 226 024
2. Regional Officer  
U.P. Pollution Control Board  
Greater Noida



# U.P. Asbestos Ltd.

WORKS: Village & PO-BISHARA, TEHSIL DADRI DISTT. GAUTAMBUDHNAGAR-201008 (U.P.)  
CIN:L26942UP1973PLC003743,GSTIN-09AAACU1994L1ZS

Our ref.: UPAL,DADRI/Qtly.EMRs/2026-27  
30<sup>th</sup> April 2026

Chief Environment Officer (Circle-1)  
U.P. Pollution Control Board  
H.No.TC-12V, Vibhuti Khand  
Gomti Nagar, Lucknow 226 010

Subject: Submission of quarterly environmental monitoring reports.

Dear Sir

As required, quarterly environmental monitoring reports of our Dadri plant are being submitted herewith. These reports are based on the monitoring carried out in the month of March 2026.

Thanking you

Yours faithfully  
U.P. ASBESTOS LTD., DADRI UNIT

Sunil Mehta  
Authorised signatory

Encls.: As stated above.

Copy to:

1. Deputy Director General  
Ministry of Environment, Forest & Climate Change (MoEF&CC)  
Regional Office, Central Region  
Kendriya Bhawan, 11<sup>th</sup> Floor  
Sector-H, Aliganj  
Lucknow 226 024
2. Regional Officer  
U.P. Pollution Control Board  
Greater Noida

डाक प्राप्ति स्थिति  
प्रति विभाग 7/1/2026  
माहिकर्ता के हस्ताक्षर  
उपरोक्त प्रमाण नियंत्रण बोर्ड, लखनऊ





**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited.	ULR No.	TC167912600005215F
	Village & Post: Bishara	Test Report No.	ECO/LAB/AA/0446/5215/03/2026
	Tehsil: Dadri Distt: Gautam budh Nagar (U.P)	Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Air Sample		
Sample Registration No.	0446	Name of Location	Near Main Gate
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.00 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	24 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5215/03/2026
	Humidity: 50%		

S. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Particulate Matter (PM <sub>10</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-23):2006 RA, 2022	75.12	100
2.	Particulate Matter (PM <sub>2.5</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-24) RA, 2022	36.00	60
3.	Sulphur Di-Oxide (SO <sub>2</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-2):2001	19.66	80
4.	Nitrogen Di-Oxide (NO <sub>2</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-6):2006 RA, 2022	29.52	80
5.	Ammonia (NH <sub>3</sub> ) µg/m <sup>3</sup>	IS 5182 (Part-25) RA, 2018	11.20	400
6.	Ozone(O <sub>3</sub> ) µg/m <sup>3</sup>	IS 5182 (Part-9):2019	13.18	180
7.	Lead(Pb) µg/m <sup>3</sup>	IS 5182 (Part-22):2004. RA, 2022	BDL (<0.1)	1.0
8.	Arsenic (As) ng/m <sup>3</sup>	SOP No.26 Issue No. 01 June 2022	BDL (<1.0)	06
9.	Nickel(Ni) ng/m <sup>3</sup>	IS 5182 (Part-26): 2020	BDL (<4.0)	20
10.	Carbon mono-oxides as CO (mg/m <sup>3</sup> )	IS:5182 (Part-10):1999 RA, 2019	1.28	04

Statement of Conformity: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

**Note:**

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

----End of Report----

Verified by

*(Signature)*  
 Technical Manager  
 (Vikas Kumar)

Authorized By

*(Signature)*  
 Quality Manager  
 (Dr. Abhishek Kumar Singh)  
 Mirzapur  
 Bakshi Ka Taleb  
 Lucknow, U.P.  
 226021

**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & P.O.-Bishara, Tehsil Dadri, Distt. Gautam Budh Nagar (U.P.)	Test Report No.	ECO/LAB/WA/0446/5221/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Work Area Sample		
Sample Registration No.	0446	Name of Location	-
Sampling Method	IS:5182	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	11.25 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	8 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5221/03/2026
	Humidity: 50 %		


S. No.	Location	Dust Pollutant Concentration (mg/m <sup>3</sup> )
1.	Nr. BOD / Scrubber Mill Section	4.28

**Note:**


1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

—End of Report—

Verified By

  
Technical Manager  
(Vikas Kumar)

Authorized By

  
Quality Manager  
(Dr. Abhishek Kumar Singh)  
Ecomen Mining Private Limited  
Mirzapur, Bakshi Ka Talab  
Lucknow, U.P.  
226021  
★



**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited.	ULR No.	TC167912600005216F
	Village & Post: Bishara	Test Report No.	ECO/LAB/AA/0446/5216/03/2026
	Tehsil: Dadri Distt: Gautam budh Nagar (U.P)	Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Air Sample		
Sample Registration No.	0446	Name of Location	Near Loading Area
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.30 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	24 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5216/03/2026
	Humidity: 50%		

S. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Particulate Matter (PM <sub>10</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-23):2006 RA, 2022	63.92	100
2.	Particulate Matter (PM <sub>2.5</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-24) RA, 2022	28.50	60
3.	Sulphur Di-Oxide (SO <sub>2</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-2):2001	15.25	80
4.	Nitrogen Di-Oxide (NO <sub>2</sub> ) µg/m <sup>3</sup>	IS:5182 (Part-6):2006 RA, 2022	24.36	80
5.	Ammonia (NH <sub>3</sub> )µg/m <sup>3</sup>	IS 5182 (Part-25) RA, 2018	8.10	400
6.	Ozone(O <sub>3</sub> ) µg/m <sup>3</sup>	IS 5182 (Part-9):2019	11.44	180
7.	Lead(Pb) µg/m <sup>3</sup>	IS 5182 (Part-22):2004. RA, 2022	BDL (<0.1)	1.0
8.	Arsenic (As) ng/m <sup>3</sup>	SOP No.26 Issue No. 01 June 2022	BDL (<1.0)	06
9.	Nickel(Ni) ng/m <sup>3</sup>	IS 5182 (Part-26): 2020	BDL (<4.0)	20
10.	Carbon mono-oxides as CO (mg/m <sup>3</sup> )	IS:5182 (Part-10):1999 RA, 2019	0.76	04

Statement of Conformity: The above tested parameters confirm as per NAAQS limits.

Note:

- 1.0 Test results relate to the items sampled & tested.
- 2.0 Test report shall not be reproduced except in full without approval of the laboratory.
- 3.0 The test samples will be disposed of after Fifteen days from the date of issue of test report.

----End of Report----

Verified By

*(Signature)*  
Technical Manager  
(Vikas Kumar)

Authorized By

*(Signature)*  
Quality Manager  
(Dr. Abhishek Kumar Singh)  
EcoMen Mining Private Limited  
Mirzapur  
Bakshi Ka Talab  
Lucknow, U.P.  
226021  
★

**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautam budh Nagar (U.P)	Test Report No.	ECO/LAB/AA/0446/5216/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Air Sample		
Sample Registration No.	0446	Name of Location	Near Loading Area
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.30 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	24 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5216/03/2026
	Humidity: 50%		

Sl. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Benzene as C <sub>6</sub> H <sub>6</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-11):2006 RA, 2022	BDL (<1.0)	05
2.	Benzo (α) Pyrene as BaP (ng/m <sup>3</sup> )	IS:5182 (Part-12):2004 RA, 2019	BDL (<0.5)	01


Statement of Conformity: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

## Note:


1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified by

  
Technical Manager  
(Vikas Kumar)

Authorized By

  
Quality Manager  
(Dr. Abhishek Kumar Singh)  
Mirzapur  
Bakshi Ka Talab  
Lucknow, U.P.  
226021  
★



**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/13

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited.	ULR No.	TC167912600005218F
	Village & Post: Bishara	Test Report No.	ECO/LAB/AN/0446/5218/03/2026
	Tehsil: Dadri Distt: Gautambudh Nagar (U.P)	Issue Date of Test Report	01.04.2026
Type of Sample	Ambient Noise		
Sample Registration No.	0446	Name of Location	-
Sampling Method	IS: 9989	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	10.55 AM
Date of Sample Received	16.03.2026	Time of Sample Received	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	Hourly
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5218/03/2026
	Humidity: 50 %		

S. No.	Location	Leq Value in dB(A)	
		Day	Night
1.	Near Main Gate	73.60	52.80

Statement of Conformity: Noise Level is meeting requirements as per CPCB Guidelines.

**Noise (Ambient Standard)**

Area Code	Category of area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

**Note:**

- Day time is reckoned in between 6:00 AM and 10:00 PM.
- Night time is reckoned in between 10:00 PM and 6:00 AM
- Silence zone is defined as area up to 100m around such premises as hospitals, educational institutions & courts. The silence zones are to be declared by a competent authority.
- Mixed categories of areas should be declared as one of the four above-mentioned categories by the competent authority and the corresponding standard shall apply.

----End of Report----

Verified By

*[Signature]*  
Technical Manager  
(Vikas Kumar)

Authorized By

*[Signature]*  
Quality Manager  
(Dr. Abhishek Kumar Singh)  
Gata No. 61  
Mirzapur  
Bakshi Ka Talab  
Lucknow, U.P.  
226021  
★

**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/10

NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & P.O.-Bishara, Tehsil Dadri, Distt. Gautam Budh Nagar (U.P.)	Test Report No.	ECO/LAB/WA/0446/5220/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Work Area		
Sample Registration No.	0446	Name of Location	-
Sampling Method	IS:11450	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	11.00 AM
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	4.0 Hrs.
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5220/03/2026
	Humidity: 50 %		


S. No	Locations	Fiber Count (Fibers/cc)	Maximum allowable Limit (Fibers/cc)
1.	Near Scrubber/BOD	0.075	0.1

**Note:**

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified By

  
 Technical Manager  
 (Vikas Kumar)

Authorized By

  
 Quality Manager  
 (Dr. Anishek Kumar Singh)




**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/13


NAME & ADDRESS OF CUSTOMER:	U.P Asbestos Limited. Village & P.O.-Bishara, Tehsil Dadri, Distt. Gautam Budh Nagar (U.P.)	ULR No.	TC167912600005219F
		Test Report No.	ECO/LAB/WN/0446/5219/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Work Area Noise		
Sample Registration No.	0446	Name of Location	DG Set
Sampling Method	IS: 4758	Sample Collected By	EMPL Representative
Date of Sample Collection	14.03.2026	Time of Sample Collection	-
Date of Sample Received	16.03.2026	Time of Sample Received	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	-
Weather Condition	Sunny	Sampling Duration	Hourly
Environmental Condition	Temperature: 27± °C	Sample ID Code	ECO/LAB/5219/03/2026
	Humidity: 50 %		


Sl. No.	Location	Capacity of DG Set	Time	Noise (Leg) value in dB (A)	Noise Standard dB (A)
1.	D.G. Running condition with Closed Acoustic enclosure	D. G. Set -750KVA	11.10 A.M.	66.10	75
2.	D.G. Running condition with Open Acoustic enclosure	D. G. Set -750 KVA	12.30 P.M.	73.00	


**Note:**

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified By  
  
 Technical Manager  
 (Vikas Kumar)

Authorized By  
  
 Quality Manager  
 (Dr. Anish Kumar Singh)



**TEST REPORT**

NAME & ADDRESS OF CUSTOMER		U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautambudh Nagar (U.P)	ULR No.	FORMAT NO. ECO/QS/FORMAT/12
Type of Sample		Stack Emission	Test Report No.	TC16791260005217F
Sample Registration No.		0446	Issue Date of Test Report	ECO/LAB/AS/0446/5217/03/2026
Sampling Method		ECO/LAB/SOP/AIR/00	Name of Location	01.04.2026
Date of Sample Collection		13.03.2026 to 14.03.2026	Sample Collected By	DG Set-750 KVA
Date of Sample Received		16.03.2026	Time of Sample Collection	EMPL Representative
Start Date of Analysis		16.03.2026	Time of Sample Received	10.30 AM
Weather Condition		Sunny	End Date of Analysis	10.55 AM
Environmental Condition		Temperature: 27 ± 2 °C Humidity: 50 %	Sampling Duration	31.03.2026
			Sample ID Code	41.0 min
				ECO/LAB/5217/03/2026

Stack Details			
I) Above the Ground Level(m)	13.0	Ambient Temperature (°C)	28.00
II) Above the Platform(m)	6.0		
Material of Stack	MS	Stack Temperature (°C)	263.00
Stack Attached	DG Set 750 KVA	Inside Diameter of Stack at sampling port (m)	0.20
Capacity of DG Set	750 KVA	Cross Sectional Area of Stack (M <sup>2</sup> )	0.0314
Shape of Stack	Circular	Velocity of Flue Gas (m/sec.)	14.86
Type of Fuel Used	HSD	Flow Rate of Flue Gas (Nm <sup>3</sup> /sec.)	0.402
Fuel Consumption (L/hr.)	80.0	Pollution Control Unit	-

Sl. No.	Tests Conducted	Method	Unit	Pollutant Concentration	Standards as per CPCB gm/Kw-hr
1.	Particulate Matter (PM)	IS:11255 (Part-1)	gm/Kw-hr	0.159	≤0.2
2.	Sulphur Dioxide (SO <sub>2</sub> )	IS:11255 (Part-2)	gm /Kw-Hr	0.046	-
3.	Nitrogen Oxides (NO <sub>x</sub> )	IS:11255 (Part-7)	gm/Kw-hr	1.52	≤4.0
4.	Carbon Monoxide (CO)	IS 13270: 2009	gm/Kw-hr	1.18	≤3.5


Statement of Conformity: The above tested parameters confirm as per CPCB limits.

**Note:**

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

----End of Report----

Verified By

  
Technical Manager  
(Vikas Kumar)

Authorized By

  
Quality Manager  
(Dr. Abhishek Kumar Singh)  
Mirzapur  
Bakshi Ka Taleb  
Lucknow, U.P.  
226021

**TEST REPORT**

FORMAT NO. ECO/QS/FORMAT/12

NAME & ADDRESS OF CUSTOMER	U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautambudh Nagar (U.P)	Test Report No.	ECO/LAB/AS/0446/5217/03/2026
		Issue Date of Test Report	01.04.2026
Type of Sample	Stack Emission		
Sample Registration No.	0446	Name of Location	DG Set-750 KVA
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.30 AM
Date of Sample Received	16.03.2026	Time of Sample Received	10.55 AM
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026
Weather Condition	Sunny	Sampling Duration	41.0 min
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5217/03/2026
	Humidity: 50 %		

Stack Details			
I) Above the Ground Level(m)	13.0	Ambient Temperature (°C)	28.00
II) Above the Platform(m)	6.0		
Material of Stack	MS	Stack Temperature (°C)	263.00
Stack Attached	DG Set 750 KVA	Inside Diameter of Stack at sampling port (m)	0.20
Capacity of DG Set	750 KVA	Cross Sectional Area of Stack (M <sup>2</sup> )	0.0314
Shape of Stack	Circular	Velocity of Flue Gas (m/sec.)	14.86
Type of Fuel Used	HSD	Flow Rate of Flue Gas (Nm <sup>3</sup> /sec.)	0.402
Fuel Consumption (L/hr.)	80.0	Pollution Control Unit	-

Sl. No.	Tests Conducted	Method	Unit	Pollutant Concentration	Standards as per CPCB gm/Kw-hr
1.	Hydrocarbon (HC)	IS 13270: 2009	gm/Kw-hr	1.25	≤4.0


Statement of Conformity: The above tested parameters confirm as per CPCB limits.

Note:


1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

----End of Report----

Verified By

  
Technical Manager  
(Vikas Kumar)

Authorized By

  
Quality Manager  
Gata No. 61,  
Bakshi Ka Talab,  
Lucknow, U.P.  
226021

TEST REPORT

NAME & ADDRESS OF CUSTOMER:		U.P Asbestos Limited. Village & Post: Bishara Tehsil: Dadri Distt: Gautam budh Nagar (U.P)		Test Report No.	ECO/LAB/AA/0446/5215/03/2026
Type of Sample		Ambient Air Sample		Issue Date of Test Report	01.04.2026
Sample Registration No.	0446	Name of Location	Near Main Gate		
Sampling Method	ECO/LAB/SOP/AIR/00	Sample Collected By	EMPL Representative		
Date of Sample Collection	13.03.2026 to 14.03.2026	Time of Sample Collection	10.00 AM		
Date of Sample Received	16.03.2026	Time of Sample Receipt	10.55 AM		
Start Date of Analysis	16.03.2026	End Date of Analysis	31.03.2026		
Weather Condition	Sunny	Sampling Duration	24 Hrs.		
Environmental Condition	Temperature: 27 ± 2 °C	Sample ID Code	ECO/LAB/5215/03/2026		
	Humidity: 50%				

Sl. No.	Test Parameters	Protocol	Results	Limit as per National Ambient Air Quality Standards
1.	Benzene as C <sub>6</sub> H <sub>6</sub> (µg/m <sup>3</sup> )	IS:5182 (Part-11):2006 RA, 2022	BDL (<1.0)	05
2.	Benzo (α) Pyrene as BaP (ng/m <sup>3</sup> )	IS:5182 (Part-12):2004 RA, 2019	BDL (<0.5)	01

Statement of Conformity: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

## Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after fifteen days from the date of issue of test report.

---End of Report---

Verified by

*Vikas Kumar*  
Technical Manager  
(Vikas Kumar)

Authorized By

*Dr. Abhishek Kumar Singh*  
Quality Manager  
(Dr. Abhishek Kumar Singh)  
Gata No. 61, Mirzapur,  
Bakshi Ka Talab,  
Lucknow, U.P.  
226021

# U.P. Asbestos Ltd.

WORKS: Village & PO -BISHARA, TEHSIL DADRI DISTT. GAUTAM BUDH NAGAR- 201008  
(U.P.)CIN: L26942UP1973PLC003743, GSTIN - 09AAACU1994L1ZS

Our ref.: UPAL,DADRI/MS/2025-26  
1<sup>st</sup> December 2025

The Chief Environment Officer (Circle 1)  
U.P. Pollution Control Board (UPPCB)  
H.No. TC-12V, Vibhuti Khand  
Gomti Nagar, Lucknow 226 010

Subject : Submission of summary of medical reports.

Dear Sir

As required, summary of medical reports of the employees of our Dadri unit is being enclosed herewith. This summary is based on the medical checkups carried out in the month of November 2025.

Thanking you

Yours faithfully  
FOR U.P. ASDBESTOS LTD, Dadri unit

Sunil Mehta  
Authorised signatory  
Contact: 86018 74497

Encl.: As stated above

Copy to.: Regional Officer  
U.P. Pollution Control Board  
Greater Noida

डाक प्राप्ति रसीद  
प्रति सिंक. ०२/१२/२०२५  
प्रशासक के हस्तक्षेप  
उपप्राधिकृत निदेशक, वार्षिक



M/S U.P. ASBESTOS LTD., DADRI										
ANO.	NAME OF THE EMPLOYEE	Father's Name	AGE	BLOOD	X-RAY	ECG	LFT	HAEMATOLOG	URINE	REMARKS
01	MR. RAVINDRA KUMAR TOGDIA	GANGA DHAR TOGDIA	41	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
02	MR. SHIVAM GOYAL	ANAND GOYAL	30	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
03	MR. VINOD KUMAR	RAMESH SINGH	35	A-	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
04	MR. KRISHANA K SHARMA	DAYANAND	32	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
05	MR. PADAM SINGH	KISHAN SINGH	48	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
06	MR. RAJ KUMAR	PARMA NAND	49	O+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
07	MR. SHIV KUMAR SHARMA	HARI RAM	44	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	BLOOD SUGAR GIVEN
08	MR. NARENDRA SISHODIA	L.T. SATYBER SINGH	39	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
09	MR. CHANDAN KUMAR MAHTO	PANI MAHTO	37	O+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
10	MR. RAHUL KUMAR	RAMDEER SINGH	32	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
11	MR. VASANT LAL	L.T. RAM LOTE	38	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
12	MR. MANOHAR SINGH	MALKHAN SINGH	42	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
13	MR. MAHESH SAINI	RANVIR SINGH SAINI	34	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
14	MR. KAMALAKANTA SINGH	BANAMALI SINGH	35	A-	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
15	MR. SUTOSH CHATURVEDI	SANTOSH CHATURVEDI	31	B+	NORMAL	ABNORMAL BORDERLINE	IN RANGE	IN RANGE	NORMAL	GIVEN
16	MR. PUSHPENDRA KUMAR	CHAMAN LAL	44	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
17	MR. ASHOK KUMAR	TEK CHAND	40	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
18	MR. JAIVINDRA KUMAR JHA	AASWEE JHA	54	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
19	MR. VIPIN KUMAR	SURENDRA SINGH	39	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
20	MR. JITENDRA AGNIHOTRI	VINAY AGNIHOTRI	38	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
21	MR. SONU KUMAR	SATAVIR SINGH	38	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
22	MR. MANJEET KUMAR	KARAM SINGH	49	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
23	MR. DHARAM RAJ	BANWARI LAL	45	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	GIVEN
24	MR. AJEET KUMAR BHARTI	NARAYAN RAM	37	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
25	MR. AJAY KUMAR	RAM KISHORE YADAV	41	A-	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
26	MR. MANJEET	RISHILAL	36	O+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
27	MR. SARVESH KUMAR	MURARI BABU	42	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
28	MR. GAJENDRA PAL	RAJARAM	48	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
29	MR. NIBRAJ SINGH	ARVIND SINGH	41	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
30	MR. RAVINDRA KUMAR MAURYA	TILAK RAM	41	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
31	MR. MANISH SINGH	DASHIRATH SINGH	31	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
32	MR. RAMESH SINGH	AVDHESH	48	A-	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
33	MR. RAM KUMAR	TILAK RAM	35	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
34	MR. AMIT KUMAR	DHARMAPAL	35	A-	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
35	MR. RAKESH KUMAR	BUDDHI LAL	38	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	GIVEN
36	MR. RAJENDRA KUMAR	BHAGVATI PRASAD	44	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
37	MR. PAPPU KUMAR MEHTO	PANNI MEHTO	32	A-	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
38	MR. CHINTU KHAN	BABU KHAN	29	O+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
39	MR. RAJKUMAR	RAM SINGH	43	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
40	MR. PRAKASH SHARMA	MAHADEV SHARMA	29	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL

डॉ० अरवि वंसन  
एम.डी. पी.एस. एम.डी.

Dr. UMESH KUMAR GUPTA  
M.B.S., D.ORTH  
Rly. Road, Pithampur (Hapur) U.P.  
Road No. 26688

42	MR. MANOJ KUMAR	G.D. SHARMA	40	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
43	MR. ROHIT KUMAR	VINAY AGNHOTRI	31	A+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
44	MR. RADHUVENDRA SINGH	ARVIND SINGH	29	O+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL
45	MR. RAMESH KHUSWAHA	SHIV KUMAR KHUSWAHA	40	B+	NORMAL	NORMAL	IN RANGE	IN RANGE	NORMAL	NIL

NOTE :- 1) ABOVE DATA IS BASED ON PROFESSIONAL OPINION AND PERSONAL DIAGNOSE

& MUST BE CO RELATED CLINICALLY.

2) THIS DATA IS NOT FOR ANY MEDICO - LEGAL PURPOSE

*Umesh*  
21/11/25


DR. UMESH KUMAR GUPTA

M.B.B.S (Gold Medalist), D.Ortho., F.I.A.M.S

EX- Resident Radiology, Medical College, Meerut

*Dr. Arsen Hosen*  
डॉ० अरसेन हसेन  
: एम.बी.बी.एस., एम.डी.

Dr. UMESH KUMAR GUPTA  
M.B.B.S., D. ORTH  
Rly. Road, Pilkhuwa (Hapur) U.P.  
Regd. No. 20688


**UTTAR PRADESH POLLUTION CONTROL BOARD**

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828;2720831 Fax:0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 19296/UPPCB/GreaterNoida(UPPCBRO)/HWM/GREATER NOIDA/2023

Dated :27/01/2023

To,

M/s UP ASBESTOS LIMITED

village and post Bishada, Ntpc Road, Dadri, GAUTAM BUDH NAGAR, 201301

Tehsil :Dadri

District :GREATER NOIDA

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 19296 and 27/01/2023 .
2. Reference of application (No. and date) 19266074 and 02/01/2023 .
3. Mr SANDEEP GARG of M/s UP ASBESTOS LIMITED is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at vill. and post Bishada, Ntpc Road, Dadri, G. Noida .

**Details of Authorisation**

S No.	Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing, etc.	Quantity(ton/annum)
1	Schedule I, Cat-15.1 Asbestos-containing residues	Through TSDF	50 MT/Annum
	Schedule I, Cat-5.1 Used or spent oil	Through Authorised Recycler/TSDF	50 Liter/Month
3	Schedule I, Cat-35.3 Chemical sludge from waste water treatment	Through TSDF	10 MT/Annum
4	Schedule I, Cat-33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Through TSDF	48 No./Annum
5	Schedule I, Cat-15.2 Discarded asbestos	Through TSDF	2 MT/Month

1. The authorization shall be valid for a period of 26/01/2028 from the date of issue of this letter
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

**A General Conditions of Authorization -**

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .

2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .
15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

## **B Specific Conditions of Authorization**

- 1- The unit will submit the proof of depositing the requisite processing fees of application in a month otherwise this authorization will stand automatically cancelled.
- 2- The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers/bags shall be provided with a general label as given in Form 8. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
- 3- The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
- 4- It is brought to your notice that as per the order dated 14.11.2003 passed by the Hon'ble Supreme Court in W.P. (c) 657 of 1995, no industry covered under Hazardous Waste (Management and Handling) Rules, 1989 (as amended) shall be allowed to operate without valid authorisation. It is also provided in the same order that industries which are not complying with the conditions shall

- not be allowed to operate. Hence in case you fail to apply for authorisation before its expiry or fails to comply with conditions of the earlier authorisation issued to you, closure order shall be issued against your industry without any further notice.
- 5- The applicant must file returns on prescribed Form 4 along with a compliance report of this letter. You should also maintain records on Form-3 and present it to Board's inspecting officials.
  - 6- In case of occurrence of an accident, complete details on Form-11 must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.
  - 7- It is also the mandatory duty of the occupier of industry as well as operator of a facility to develop suitable waste treatment and disposal facility and the design of the facility must be approved by the Board. Details along with the project report must be sent in this regard within fifteen days of receipt of this letter, otherwise the industry shall become member of a common TSDF and the industry shall start sending the Hazardous waste already stored along with the Hazardous waste generated at present at this TSDF. The proof of valid membership of TSDF along with proof of disposal of hazardous waste to TSDF shall be sent to U.P. Pollution Control Board within three months.
  - 8- The authorised person shall not receive, collect, or store any hazardous waste from any authorised occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorisation of the Board.
  - 9- In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers of hazardous chemicals such as flammable, corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
  - 10- Proposal regarding waste minimization and reuse of wastes must be sent. Details of any recovery/ reuse system must be sent within two months.
  - 11- It is within the powers and functions of the U.P. Pollution Control Board to suspend/ cancel the authorization issued under the Rule- 6(2) of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
  - 12- The stored waste shall not be taken out of the storage area except with the written permission of the State Pollution Control Board in this regard.
  - 13- You are directed to display online data outside the main factory gate with regards to quantity and nature of hazardous chemicals being handled in the plant including waste water and air emissions and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within fifteen days of receipt of this letter.
  - 14- It is the mandatory duty of the authorized person to comply with the guideline for transportation of hazardous waste in accordance with Rule 18 of The Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Guidelines in this regard have been issued by Central Pollution Control Board from time to time.
  - 15- You are directed to provide the complete details regarding the quantity of hazardous waste stored in the factory premises within a month.
  - 16- You are directed to provide all hazardous waste generated in the factory to any TSDF operating in the state for the treatment and disposal and send the compliance report to the U.P. Pollution Control Board at the earliest.
  - 17- Status report of hazardous waste stored in premises available storage capacity and future action plan for permanent safe disposal of hazardous waste shall be submitted within one month.
  - 18- Ground water monitoring report of premises shall be submitted within one month.
  - 19- Industry will follow the various provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

VIVEK  
ROY

Digitally signed  
by VIVEK ROY  
Date: 2023.03.17  
10:42:06 +05'30'

( Authorized Signatory )

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, Greater Noida for information and necessary action .

VIVEK  
ROY

Digitally signed  
by VIVEK ROY  
Date: 2023.03.17  
10:43:28 +05'30'

CEO/EE, I/C Circle \_\_\_\_\_

सेवा में,

Director,  
U.P. Asbestos Ltd,  
Mahmoodabad Estate Building Hazratganj,  
Lucknow.

विषय:-

वर्ष 2023-24 से 2025-26 तक रोपित किये गये पौधे एवं उनके अनुरक्षण बाबत  
धनराशि उपलब्ध कराने के संबंध में।

संदर्भ:-

आपका पत्र दिनांक 15-03-2024

महोदय,

उपरोक्त संदर्भित पत्र का अवलोकन करने का कष्ट करें। संदर्भित पत्र के माध्यम से आप द्वारा अवगत कराया गया कि वर्ष 2023-24 में 5000 पौधे एन0टी0पी0सी0 दादरी में वन विभाग के माध्यम से तीन वर्ष के लिए पाँच वर्ष के मय अनुरक्षण के रोपित किये गये थे जिसमें वृक्षारोपण एवं उसके तीन वर्षीय अनुरक्षण की धनराशि रू0 15,55,000.00 आंकलित की गयी थी। आंकलित की गयी धनराशि के सापेक्ष आप द्वारा रू0 8,05,000.00 का चैक के माध्यम से वन विभाग कार्यालय में उपलब्ध कराया गया तथा रू0 7,03,125.00 क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण-नियन्त्रण बोर्ड के माध्यम से माननीय एन0जी0टी0 के आदेशानुसार उपलब्ध करायी गयी एवं धनराशि रू0 46,875.00 की देयता अभी अवशेष है।

अतः अनुरोध है कि निम्न प्रकार धनराशि का चैक प्रभागीय वनाधिकारी, गौतमबुद्धनगर वन प्रभाग, गौतमबुद्धनगर के नाम से उपलब्ध कराने का कष्ट करें।

वर्ष 2023-24 से 2025-26 की अवशेष धनराशि	रू0	-	46,875.00
वर्ष 2026-27 की आंकलित धनराशि	रू0	-	1,16,632.00
वर्ष 2027-28 की आंकलित धनराशि	रू0	-	1,10,632.00
योग		-	2,74,139.00

भवदीय

(प्रमोद कुमार)  
प्रभागीय वनाधिकारी  
गौतमबुद्धनगर वन प्रभाग  
गौतमबुद्धनगर

पत्रांक

दिनांकित।

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. क्षेत्रीय वन अधिकारी, एन0टी0पी0सी0, दादरी।
2. लेखा शाखा।

(प्रमोद कुमार)  
प्रभागीय वनाधिकारी  
गौतमबुद्धनगर वन प्रभाग  
गौतमबुद्धनगर